Food Production

European Manufacturers

Your European partner for equipping all types of laboratories.

We offer:

- 1.5 million items of raw materials and equipment from 40 European manufacturers;
- Export of chemical reagents from Europe, to Central, South, and Middle Asia.
- Assistance in finding specific products or alternatives at beneficial terms;
- Delivery tracking;
- Product licensing;
- Customized service tailored to your requests. If you need help selecting reagents or equipment by code or finding alternatives, we will do it for you and compile a list of potential suppliers.

For Lab Trade s.r.o. provides reagents and consumables for pharmaceutical, food, and medical developments from companies such as Merck, VWR, Hach Lange, AppliChem, Lachner, and others.

With us, you can obtain all the tools, products, and consumables necessary to ensure the uninterrupted operation of your laboratory.

The majority of our products are supplied to food industry enterprises for:

- Incoming raw material quality control
- Intermediate product quality control
- Surface cleanliness monitoring
- Water quality control and water treatment
- Final product quality control

For Lab Trade s.r.o. offers reagents and consumables from leading manufacturers, including Merck, VWR, Chromservis, FOSS, Hach Lange, Buchi, Hamilton, Lachner, and others. We are the exclusive representatives of Chromservis s.r.o. and YMC in Uzbekistan and Kazakhstan, providing affordable European quality standards for the food industry.

Merck Products – A Legacy of Quality and Innovation.

The product range of the world's leading chemical and pharmaceutical corporation includes thousands of chemical substances for the food industry, available in various purity grades and packaging options.

Certified Reference Materials (CRM) for Photometric Applications

| ` , | | |
|----------------------------------|-------------|-----------|
| Name | Cat. number | Packaging |
| Aluminium Standard Solution, CRM | 132225-M | 100 ml |
| Boron Standard Solution, CRM | 1.33005 | 100 ml |
| Chloride Standard Solution, CRM | 132231 | 100 ml |
| Lead Standard Solution, CRM | 1.33003 | 100 ml |
| Nitrate Standard Solution, CRM | 1.25038 | 100 ml |

Reagents for Food Analysis

| Name | Cat. number | Packaging |
|---|-------------|-----------|
| Total Sugar Test (glucose and fructose) | 1.16136 | 50 pcs. |
| Glucose Test | 1.16720 | 50 pcs. |
| MQuant® Test Strips | >30 Sub. | 100 pcs |
| Assay Kits for Milk and Dairy Analysis | >30 Sub. | 1 kit |
| Assay Kits for Meat, Poultry, Pork and Fish (Animal Protein) Analysis | > 20 Sub. | 1 kit |

■ pH Test Strips and Indicator Paper

| Name | Cat. number | Packaging |
|--|-------------|-----------|
| pH test strips pH 0.0-6.0, resolution: 0.5 pH unit | P4661-100EA | 100 ед. |
| pH-indicator strips pH 0 - 14 Universal indicator | 1095350001 | 100 pcs |
| pH-indicator strips pH 0 - 6.0 | 1095310001 | 100 pcs |
| pH-indicator strips pH 5.0 - 10.0 | 1095330001 | 100 pcs |
| pH-indicator paper pH 1 - 14 Universal indicator | 1109620003 | 3 pcs. |

Test Strips for Ion and Chemical Compound Detection

| Name | Cat. number | Packaging |
|---------------------------------|-------------|-----------|
| Phosphate Test | 1.16978 | 50 pcs. |
| Potassium Test | 1.16992 | 50 pcs. |
| Quantofix® test strips Aluminum | Z166332 | 100 pcs |
| Quantofix® test strips Cobalt | Z166367 | 100 pcs |
| Peroxide Test | 1.10081 | 100 pcs |

Colorimetric and Titrimetric Tests

| Name | Cat. number | Packaging |
|--|-------------|-----------|
| Acetate Colorimetric Assay Kit | MAK086 | 1 kit |
| ADP Colorimetric/Fluorometric Assay Kit | MAK033 | 1 kit |
| Calcium Colorimetric Assay | MAK022 | 1 kit |
| D-Mannitol Colorimetric Assay Kit | MAK096 | 1 kit |
| Fructose Colorimetric/Fluorometric Assay Kit | MAK265 | 1 kit |

Chromatography

| Name | Cat. number | Packaging |
|--|-------------|-----------|
| Aldrich® TLC developing tank - cylindrical | Z243906 | 1 pcs. |
| Ascentis® C8 HPLC Column | 581442-U | 1 pcs. |
| Vacuum filtration assembly flasks | Z290610 | 1 pcs. |
| Astec® CHIROBIOTIC® T Chiral HPLC Column | 12024AST | 1 pcs. |
| Discovery® C18 HPLC Column | 504971 | 1 pcs. |

Reflectometers

| Name | Cat. number | Packaging |
|---|-------------|-----------|
| | | |
| Reflectometer RQflex® 20 | 1172460001 | 1 pcs. |
| Sucrose (Saccharose) Test | 1.16141 | 50 pcs. |
| Total Hardness Test | 1.16997 | 50 pcs. |
| Total Sugar Test (glucose and fructose) | 1.16136 | 50 pcs. |
| Hydroxymethylfurfural (HMF) Test | 1.17952 | 50 pcs. |

Photometry and Turbidimetry

| Thotometry and ranbiamietry | | |
|--|-------------|-----------|
| Name | Cat. number | Packaging |
| Turbidimeter | 1.18324 | 1 pcs. |
| 2100AN IS Laboratory Turbidimeter with 860 nm (infrared) LED | Z800562 | |
| Sulfate Cell Test | 1.14564 | 25 pcs. |

Chemical Reagents

| Name | Cat. number | Packaging |
|---------------------|-------------|-------------------------------|
| Potassium hydroxide | 221473 | 25g, 500g, 1kg, 2,5 kg, 12 kg |
| Potassium chloride | P3911 | 25g, 500g, 1kg, 2,5 kg, 12 kg |
| Glycerol | G5516 | 100 ml, 500 ml, 1l |
| Calcium chloride | C1016 | 100g, 500g, 2,5 kg |
| Titanium(IV) oxide | 718467 | 100g |

Nutrient Media and Microbiological Monitoring

Dehydrated Culture Media by Microorganism Type (over 300 varieties)

| benyarated cartain by this confamiliar type (over coo varieties) | |
|--|-------------|
| Name | Cat. number |
| MC-Media Pad® for coliforms | 1323560001 |
| MC-Media Pad® for coliforms, for Escherichia coli | 1323570001 |
| MC-Media Pad® for rapid aerobic count | 1323590001 |
| MC-Media Pad® for yeasts, for molds | 1323600001 |

Dehydrated Culture Media by Application

| Name | Tests |
|---|-------|
| Media for Sterility Testing | 51 |
| Media for Dairy Industry | 144 |
| Media for Food Control | 254 |
| Vitamin Determination | 3 |
| Media for Brewery, Winery and Fermentations | 48 |

Components for Nutrient Mixtures

| Name | Cat. number | Packaging |
|---|-------------|-----------------------------|
| Agar microbiology tested, suitable for plant | A-1296 | 100g, 500g, 1, 5, 10, 25 kg |
| cell culture, suitable for cell culture, powder | | |
| Beef extract powder suitable for microbiology | B4888 | 50, 100, 500 g |
| Casein Hydrolysate suitable for microbiology | 22090 | 100, 500g |
| Yeast Autolysate suitable for microbiology | 73145 | 500g |

Microorganism Staining Kits

| Name | Cat. number | Packaging |
|--------------------------------|-------------|---------------|
| Gram-Color | 66315 | 500 x 5 ml |
| Gram's iodine solution | 90107 | 250 ml, 2.5 l |
| Gram's safranin solution | 94635 | 250 ml, 2.5l |
| Gram's crystal violet solution | 94448 | 250 ml, 2.5l |
| Lugol solution | 62650 | 10 ml l, 1l |

Rapid Tests

| Name | Cat. number |
|--|-------------|
| Peptone Test Kit suitable for microbiology | 66315-1KT-F |
| Coagulase Test (Slide) suitable for microbiology | 75832 |
| β-Lactamase Strips Kit suitable for microbiology | 80489 |

Chromservis – European Quality with 30 Years of Expertise in Chromatography

A manufacturer of instruments and accessories for chromatography and sample preparation since 1990.

Instruments and Consumables for Chromatography

| Name | Cat. number |
|---|---------------|
| ARION® C8 HPLC column, 5.0 μm 150 mm × 4.6 mm | ARI-5734-LK46 |
| CHROMSHELL® C18 Polar HPLC column, 2,6 μm 50 mm × 2,1 mm | CSH-5751-GG21 |
| Lion LN-1 GC column 10 m × 0.25 mm × 0.25 μm | LNI-5755-FF10 |
| ARION® 5 mm cartridges for Guard System, RP 2,2 μm, ID 2,1 mm | AGS-5731-RB2 |
| 3 pcs | |
| CHROMABOND Columns HR-P-AOX for AOX enrichment volume: | 730119.AOX |
| 6 mL, content of sorbent: 200 mg ma | |

Sensors for pH, Dissolved Oxygen, and Conductivity

| Name | Cat. number |
|---|--------------|
| CHS CondiGo 30W conductivity sensor, Pt wires, C=1, Plastic | CHS-5724-T1B |
| shaft, min. immersion depth 30 mm, NTC30, 1 m cable length | |
| BNC+Cinch | |
| pH 80+ DHS kit BASIC with pH electrode CHS Sleeve S7, cable | CHS-5358-F1P |
| S7/BNC, temperature probe NT55, without stirrer | |
| REVIO with pH sensor CHS ChemFlex S7, Oxy DO7/3m, | CHS-5358-I5M |
| temp.probe NT 55, SW Data-Link, BNC/S7 cable, pH buffers, | |
| carrying case and access. | |
| pH 7 Vio w/o pH electrode with temp.probe NT 55, BNC/S7 1m | CHS-5358-A0P |
| cable, pH buffers, carrying case and access | |
| pH 70 Vio DHS w/o pH electr. with temp.probe NT 55, BNC/S7 1m | CHS-5358-B0P |
| cable, pH buffers, power supply, carrying case and access. | |

Arion Columns for the Food Industry

| Name | Cat. number |
|---|---------------|
| ARION® Phenyl-Butyl HPLC column, 5.0 μm 100 mm × 4.6 mm | ARI-5735-LI46 |
| ARION® HILIC Plus HPLC column, 5.0 μm 150 mm × 3.0 mm | ARI-5738-LK30 |
| ARION® C8 HPLC column, 5.0 μm 150 mm × 3.0 mm | ARI-5734-LK30 |
| ARION® CN HPLC column, 5.0 μm 150 mm × 2.1 mm | ARI-5737-LK21 |
| ARION® NH2 HPLC column, 5.0 μm 150 mm × 2.1 mm | ARI-5736-LK21 |

Liquid Measurement

| Name | Cat. number |
|--|------------------|
| 4263 Turbiditiy/Suspended Solids Analyser, wall mounting 144 x | CHS-4263-00W |
| 144 mm | |
| CHS UVSens Dip Probe, Stainless Steel, Path length 2 mm | CHS-5730-DS02 |
| CHS FermPro 120 mm, fixed cable 5 m with BNC connector (to | CHS-5594-A0FB-05 |
| 80°C) - process sensor | |
| CHS FermPro 120 mm, S8 - process sensor | CHS-5594-A0S8 |
| CHS ODOSens S, 120mm, VP8 - process sensor for DO | CHS-5646-P1VP |
| measurement | |
| CHS Waterdip - ponorná armatura pro senzory 12 mm z PVC | CHS-A-1P05 |

Sample Measurement

| Name | Cat. number |
|--|---------------|
| CHS UVSens Photometer with cuevette for BOD, COD, TOC, NOM | CHS-5730-P2 |
| and DOC measurement | |
| CHS UVSens Photometer for connection with external probe | CHS-5730-P3 |
| COND 60 VioLab kit with cond. cell CHS Condilab 22P BNC/Cinch. | CHS-5358-D2C |
| Cell holder, SW Data-Link, standards and accessories. | |
| CHS UVSens Accessories - Hard case for CHS UVSens cuvette | CHS-5730-SGC0 |
| photometer | |
| CHS Gel Plast T BNC, temperature sensor, BNC/Cinch connector (NTC30) | CHS-5675-T1B |

Components for Laboratory Technical Gas Distribution

| Name | Cat. number |
|---|-----------------|
| 316 Stainless Steel Barstock, Single Stage, Cylinder Regulator | 322-ABCD-CON-OP |
| Chrome-Plated Brass Barstock, Single Stage, Line Regulator, series | 304-ABCD-CON-OP |
| 304 | |
| Cylinder Regulator, 316L Stainless Steel Barstock, Dual Stage, Series | 332-ABCD-CON-OP |
| 332 | |
| Cylinder Regulator, Chrome-Plated Brass Barstock, Single Stage, 4- | 307-ABCD-CON-OP |
| port configuration, 307 series | |
| Regulator, Brass Barstock, Single stage, 4-port Regulator, Series 405 | 405-ABCD-CON-OP |

BUCHI – Enhancing Efficiency and Quality Control in Food Production

BUCHI helps accelerate incoming raw material analysis, reduce production costs, and elevate food quality control to a new level.

- Preliminary Analysis
- Nitrogen and Protein Determination
- Fat Extraction
- Production Monitoring
- Drying Solutions
- Control of Food Additives, Chemicals, and Residues

As an expert in laboratory equipment for food industry analytics, BUCHI offers:

- Rotary Evaporators
- Parallel Evaporation Systems
- Spray Dryers and Encapsulators
- Preparative Chromatography Systems
- Kjeldahl and Dumas Method Analysis Equipment
- Soxhlet Extraction Equipment
- FT-NIR Spectrometers for Rapid Analysis and much more.

| Name | Application |
|--------------------------|---|
| KjelMaster K-375 | Potentiometric and Colorimetric Titration |
| | (Kjeldahl Method) |
| SpeedDigester K-439 | Kjeldahl Method Evaporator |
| Wet Digester B-440 | Pre-Burning Furnace for Ash Analysis |
| | |
| FatExtractor E-500 | Fat Determination Extractor |
| UniversalExtractor E-800 | Universal Extractor |
| HydrolEx H-506 | Hydrolyzer for Sample Preparation Before |
| | Extraction |
| Lyovapor™ L-300 | Lyophilizer (Freeze Dryer) |
| Rotavapor® R-300 | Rotary Evaporator |
| Nano Spray Dryer B-90 HP | Spray Dryer |

Hach-Lange – Advanced Solutions for Water Quality Analysis

Hach-Lange manufactures measurement instruments, analytical equipment, portable analyzers, and laboratory instruments for drinking water, industrial water, and wastewater quality analysis. The company's product range includes solutions for laboratory and industrial analysis in the food industry.

Laboratory Instruments:

- DR900 Pocket Colorimeter
- Portable, Benchtop, and UV Spectrophotometers
- 2100Q Portable Turbidimeter
- Titralab AT1000 & KF1000 Potentiometric Titrators
- Oxygen Analyzer for Non-Alcoholic Beverages

Measurement Devices, Sensors, and Standards:

- HQD Benchtop Meter (HQ440D.98.00012) Measures pH, mV, ISE, ORP/Redox, Dissolved Oxygen, Conductivity, TDS, Salinity, Resistivity, and Temperature
- Intellical Sensors for pH and Dissolved Oxygen
- Portable HQD Meters pH, mV, ISE, DO, Conductivity, TDS, Salinity, Resistivity, ORP, Temperature

Chemical Reagents and Standards:

- pH Buffer Solutions
- Standards for Ion-Selective Analysis
- Conductivity Standards
- Nitratax Control Standard (200 mg/L NO₃, 45.2 mg/L NO₃-N, 500 mL)
- NitraVer 5 Powder Reagent Sachets for Nitrate Determination (25 mL, 100 pcs/pack)

Industrial Sensors and Controllers:

- Hydrogen and Carbon Dioxide Sensors
- Conductivity Sensors
- Digital and Analog Controllers
- pH and ORP Sensors

Laboratory Equipment and Consumables

- Glassware and Plasticware
- Laboratory Consumables
- Instruments

Microbiology

- Incubators
- Petri Dishes
- Dehydrated Culture Media
- Total Microorganism Count Media
- Presence/Absence Media
- UV Lamps

Test Kits and Strips

- Specialized Test Kits
- Drop Count Titration Test Kits
- Color Disk Test Kits
- Digital Titration Test Kits

Chemical Substances

From "Pure for Analysis" (P.A.) to "High Purity" (H.P.) Grades, including precursors.

| Name | Packaging |
|--------------------|---|
| Sodium Hydroxide | 100 mL, 500 mL, 1 L, 2 L, 4 L, 5 L, 18 L, 195 L |
| Sulfuric Acid | 100 mL, 500 mL, 1 L, 2 L, 4 L, 5 L, 10 L |
| Acetonitrile | 100 mL, 1 L, 2.5 L, 4 L, 5 L, 10 L |
| Potassium Chloride | 500 g, 1 kg, 2.5 kg, 5 kg, 12 kg, 25 kg |
| Hydrochloric Acid | 25 mL, 100 mL, 500 mL, 1 L, 2.5 L |
| Acetone | 500 mL, 1 L, 2.5 L, 5 L, 20 L |
| Ammonium Nitrate | 500 g, 2.5 kg, 25 kg |
| Sodium Phosphate | 25 g, 500 g, 2.5 kg |
| Citric Acid | 100 g, 500 g, 1 kg, 5 kg, 25 kg |

Other packaging options are available upon request.

This brochure presents only a part of our product range. More detailed information can be found on our website.

For Lab Tarde s.r.o.

Czech Republic

+420 776 644 290

+420 608 955 154

+420 739 431 144

ac@forlabtarde.cz www.forlabtrade.cz